


COX™ AIRFLOW™ 3 SACHET/CARTRIDGE COX™ AIRFLOW™ 3 COMPACT COMBI MATERIAL DISPENSERS



EN	USER HANDBOOK	AT	BENUTZERHANDBUCH	BG	РЪКОВОДСТВО НА ПОТРЕБИТЕЛЯ
CZ	UŽIVATELSKÁ PŘÍRUČKA	DE	GEBRAUCHSANWEISUNG	DK	BRUGERVEJLEDNING
EE	KASUTUSJUHEND	ES	MANUAL DE USUARIO	FI	KÄYTTÖOPAS
FR	MODE D'EMPLOI	GR	ΕΓΧΕΙΡΙΔΙΟ ΧΡΗΣΗΣ	HR	KORISNIČKI PRIRUČNIK
HU	FELHASZNÁLÓI KÉZIKÖNYV	IT	GUIDA UTENTE	JA	ユーザーマニュアル
LT	NAUDOTOJO VADOVAS	LV	LIETOTĀJA ROKASGRĀMATA	NL	GEbruIKSAANWIJZING
NO	BRUKERHÅNDBOK	PO	INSTRUKCJA OBSŁUGI	PT	MANUAL DO USUÁRIO
RO	MANUUALUL UTILIZATORULUI	SE	BRUKSANVISNING	SI	NAVODILA ZA UPORABO
SK	UŽIVATELSKÁ PŘÍRUČKA	TR	KULLANIM KILAVUZU	ZH	用戶手冊

TABLE OF CONTENTS

LEGEND	PAGE 3
COX™ AIRFLOW™ 3 SACHET/CARTRIDGE	PAGE 4
TECHNICAL DATA	PAGE 9
COX™ AIRFLOW™ 3 COMPACT COMBI	PAGE 10
TECHNICAL DATA	PAGE 15

Legend

Clean with cloth



Hand crush



Read handbook



Wear safety goggles



Wear safety gloves



Disposal



Warning



Off



On



Decrease flow



Increase flow



Listen



Noise



Anti drip



Empty



Full



Nearly empty



Use screwdriver



Use snips



Use pliers



Push



Not OK



OK



Lock



No lock



Inspect label,
replace if
necessary




Interruption
of air supply




1

SACHET/CARTRIDGE














2





3




4












5





















21



22



23



Technical Data		Product(s)		
		Airflow 3 - Cart	Airflow 3 - Quart Cart	Airflow 3 - Sachet
Max Air Consumption	CFM	9.2	9.2	9.2
Max Operating Pressure	PSI	125	125	125
	Bar	8.6	8.6	8.6
Max Supply Pressure	PSI	145	145	145
	Bar	10	10	10
Operating Temperature Range	Min (°C)	+5	+5	+5
	Max (°C)	+40	+40	+40
	Min (°F)	+41	+41	+41
	Max (°F)	+104	+104	+104
Transport/ Storage Temperature Range	Min (°C)	0	0	0
	Max (°C)	+40	+40	+40
	Min (°F)	+32	+32	+32
	Max (°F)	+104	+104	+104
Relative Air Humidity (non-condensing)	Min (%)	30	30	30
	Max (%)	80	80	80
Air Hose Connection	inch	1/4 BSP male	1/4 BSP male	1/4 BSP male
Size (Height)	mm	251.0	285.0	251.0
	inch	9.9	11.2	9.9
Size (Length)	mm	271.0	751.0	436.0
	inch	10.7	29.6	17.2
Size (Width)	mm	69.0	69.0	69.0
	inch	2.7	2.7	2.7
Weight	kg	0.8	1.8	0.8
	lbs	1.7	3.9	1.8
Sound Pressure	dB(A)	59	59	59
	dB(C)	97	97	97
Vibration	m/s²	0.17	0.17	0.17

1

COMPACT COMBI




















2





3




4


















5
















13




14




15




16




17




18




19




20







21




22





23



24



Technical Data		
		Airflow 3 - Compact Combi
Max Air Consumption	CFM	11.3
Max Operating Pressure	PSI	100
	Bar	6.8
Max Supply Pressure	PSI	145
	Bar	10
Operating Temperature Range	Min (°C)	+5
	Max (°C)	+40
	Min (°F)	+41
	Max (°F)	+104
Transport/ Storage Temperature Range	Min (°C)	0
	Max (°C)	+40
	Min (°F)	+32
	Max (°F)	+104
Relative Air Humidity (non-condensing)	Min (%)	30
	Max (%)	80
Air Hose Connection	inch	1/4 BSP male
Size (Height)	mm	252
	inch	9.9
Size (Length)	mm	464
	inch	18.27
Size (Width)	mm	68.5
	inch	2.7
Weight	kg	0.99
	lbs	2.2
Sound Pressure	dB(A)	60
	dB(C)	97
Vibration	m/s²	0.17



EUROPE

medmix Switzerland AG

Ruetistrasse 7,
9469 Haag, Switzerland
Phone: +41 81 414 70 00
Email: sales.industry@medmix.com
Website: medmix.swiss



medmix Deutschland GmbH

Zum Kesselort 53,
24149 Kiel, Germany

USA, SOUTH AMERICA, CANADA AND MEXICO

medmix US Inc.

8 Willow St,
Salem, NH 03079, USA
Phone: +1 603 893 2727
Email: sales.industry@medmix.com
Website: medmix.swiss

UK AND IRELAND



medmix UK Ltd

2 Tealgate, Charnham Park, Hungerford
Berkshire, RG17 0YT, United Kingdom
Phone: +44 (0)1488 647 800
Email: cox-mkorders@medmix.com
Website: coxdispensers.com

ASIA PACIFIC

medmix China Ltd

68 Bei Dou Lu,
Minhang District,
Shanghai 200245, P.R. China
Phone: +86 (21)6430 6868
Email: sales.industry@medmix.com
Website: medmix.swiss

Legal Notice: The information contained in this publication is believed to be accurate and reliable but is not to be construed as implying any warranty or guarantee of performance. We waive any liability and indemnity for effects resulting from its application. All information herein is subject to change without notice.

© 2026 medmix All rights reserved.

